



## Poker Cards Analysis – April 2024

### The Directors

Entain Plc

This is to confirm that iTech Labs has examined the game logs for Poker games for the period **April 01, 2024**, to **April 30, 2024** as recorded by the respective game servers and analyzed the Poker cards for statistical randomness. The results of the analysis are given below.

For details on the gaming sites serviced by the Entain Plc game servers and used in this audit refer to the [List](#).

### 1. Poker hand types statistics

These calculations were done for Royal Flush, Straight Flush, Four of a Kind, Full House, Flush, Straight, 3 of a Kind, 2 pairs, 1 Pair, High Card.

The Poker hand types analysis involved creating subsets of data and conducting Chi-square tests on each subset.

The null hypothesis for the chi-square test is that the observed frequencies of each type of hand matches the theoretical values for a deck that has been shuffled using a perfect random number generator. The p-values observed in these multiple tests are expected to follow a uniform distribution for the range 0.0 to 1.0.

The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed p-values, and the combined p-value result of this test is taken as the final result of the Poker hand types statistics tests.

#### 1.1 Poker hand types statistics for 52 cards deck:

Test No.	DOF	ChiSqr	P-Value
1	9	10.02	0.34878
2	9	19.12	0.02416
3	9	5.93	0.74671
4	9	5.18	0.81841
5	9	8.34	0.50063
6	9	5.21	0.81531
7	9	12.25	0.19935
8	9	15.83	0.07047
9	9	20.09	0.01734
10	9	17.87	0.03665
11	9	15.06	0.08917
12	9	6.89	0.64831
13	9	23.51	0.00514
14	9	3.40	0.94642
15	9	1.95	0.99228
16	9	12.22	0.20094
17	9	8.31	0.50301
18	9	1.42	0.99770
19	9	22.23	0.00817
20	9	5.74	0.76565
21	9	8.90	0.44624
22	9	8.56	0.47877
23	9	9.20	0.41873
24	9	12.06	0.20974
25	9	11.22	0.26071
26	9	9.59	0.38473
27	9	7.53	0.58195

28	9	3.82	0.92272
29	9	13.79	0.12988
30	9	6.10	0.72998
31	9	8.64	0.47083
32	9	13.17	0.15503
33	9	8.93	0.44390
34	9	8.51	0.48340
35	9	3.68	0.93092
36	9	8.62	0.47317
37	9	5.71	0.76901
38	9	14.18	0.11591
39	9	9.63	0.38152
40	9	10.82	0.28802
41	9	5.40	0.79793
42	9	5.71	0.76904
43	9	1.64	0.99594
44	9	4.46	0.87865
45	9	2.14	0.98904
46	9	11.16	0.26470
47	9	5.86	0.75357
48	9	10.17	0.33680
49	9	6.00	0.74034
50	9	10.49	0.31264
51	9	4.64	0.86410
52	9	17.66	0.03929
53	9	11.35	0.25250
54	9	7.05	0.63182
55	9	1.28	0.99847
56	9	5.58	0.78153
57	9	11.87	0.22061
58	9	12.29	0.19743
59	9	11.01	0.27510
60	9	11.94	0.21686
61	9	8.27	0.50673
62	9	18.27	0.03217
63	9	12.16	0.20434
64	9	10.15	0.33876
65	9	5.16	0.82050
66	9	5.96	0.74378
67	9	11.20	0.26223
68	9	4.04	0.90847
69	9	10.63	0.30163
70	9	7.48	0.58709
71	9	17.86	0.03678
72	9	8.13	0.52136
73	9	12.79	0.17218
74	9	12.22	0.20144
75	9	6.59	0.67939
76	9	5.41	0.79761
77	9	14.46	0.10694
78	9	7.26	0.60966
79	9	8.00	0.53376
80	9	8.42	0.49237
81	9	10.65	0.30059
82	9	8.82	0.45447
83	9	10.09	0.34309

84	9	4.20	0.89792
85	9	10.44	0.31631
86	9	3.38	0.94720
87	9	7.50	0.58500
88	9	9.53	0.38946
89	9	9.79	0.36811
90	9	5.72	0.76722
91	9	8.22	0.51178
92	9	16.14	0.06406
93	9	8.92	0.44514
94	9	5.47	0.79203
95	9	6.79	0.65859
96	9	14.55	0.10393
97	9	9.54	0.38863
98	9	4.90	0.84264
99	9	14.49	0.10605
100	9	14.02	0.12161
Combined P-value for all tests (Using KS method)			0.54949

Notes:

- 1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

### 1.2 Poker hand types statistics for 36 cards deck:

Test No.	DOF	ChiSqr	P-Value
1	8	12.15	0.14456
2	8	6.01	0.64633
Combined P-value for all tests (Using KS method)			N/A (Insufficient data)

Notes:

- 1) Since the number of samples available was insufficient to ensure at least 5 samples in the lowest probability hand type, (Royal Flush), the chi-square test has been performed by merging the Royal Flush and Straight Flush categories.
- 2) As the total number of tests (2) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- 3) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 9 months - i.e July 2023 to April 2024.

## 2. Poker rank statistics

The Poker rank analysis aims to establish that the rank of the cards in each position was equally distributed in one of the 13 possible ranks (2, 3, 4, 5, 6, 7, 8, 9, 10, J, Q, K, A) for a 52 card deck and 9 ranks (6, 7, 8, 9, 10, J, Q, K, A) for a 36 card deck.

The Poker rank analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed p-values, and the combined p-value result of this test is taken as the final result of the Ranks statistics tests.

### 2.1 Poker rank statistics for 52 cards deck:

Test No.	DOF	ChiSqr	P-Value
1	84	91.81	0.26233
2	84	79.62	0.61486
3	84	70.58	0.85186
4	84	72.65	0.80681
5	84	73.47	0.78721
6	84	65.54	0.93216

7	84	76.01	0.72092
8	84	70.34	0.85663
9	84	66.20	0.92386
10	84	69.25	0.87703
11	84	85.60	0.43085
12	84	89.64	0.31674
13	84	115.87	0.01215
14	84	68.82	0.88453
15	84	115.96	0.01198
16	84	90.90	0.28454
17	84	71.33	0.83634
18	84	80.18	0.59782
19	84	87.87	0.36482
20	84	68.84	0.88421
21	84	77.61	0.67531
22	84	62.94	0.95836
23	84	64.07	0.94809
24	84	76.34	0.71173
25	84	73.53	0.78587
26	84	88.33	0.35208
27	84	80.82	0.57807
28	84	109.88	0.03056
29	84	71.07	0.84186
30	84	97.96	0.14158
31	84	76.65	0.70281
32	84	80.64	0.58375
33	84	109.14	0.03404
34	84	74.89	0.75101
35	84	80.64	0.58367
36	84	68.83	0.88437
37	84	94.30	0.20751
38	84	78.94	0.63558
39	84	71.21	0.83891
40	84	85.78	0.42554
41	84	93.02	0.23477
42	84	69.37	0.87485
43	84	71.88	0.82428
44	84	75.26	0.74134
45	84	97.18	0.15417
46	84	92.65	0.24291
47	84	92.53	0.24565
48	84	82.40	0.52907
49	84	85.90	0.42186
50	84	96.02	0.17437
51	84	74.70	0.75611
52	84	75.22	0.74247
53	84	116.49	0.01097
54	84	93.09	0.23314
55	84	97.74	0.14509
56	84	56.19	0.99156
57	84	80.80	0.57852
58	84	77.20	0.68723
59	84	61.60	0.96845
60	84	86.16	0.41429
61	84	84.81	0.45462
62	84	74.29	0.76672

63	84	82.58	0.52350
64	84	77.72	0.67183
65	84	79.07	0.63164
66	84	85.70	0.42797
67	84	82.64	0.52163
68	84	87.23	0.38319
69	84	74.45	0.76268
70	84	83.03	0.50942
71	84	106.41	0.04989
72	84	92.01	0.25768
73	84	93.36	0.22729
74	84	88.66	0.34294
75	84	86.81	0.39531
76	84	91.19	0.27726
77	84	90.41	0.29681
78	84	75.00	0.74819
79	84	75.34	0.73911
80	84	112.52	0.02061
81	84	77.68	0.67306
82	84	61.35	0.97011
83	84	84.93	0.45103
84	84	77.62	0.67490
85	84	90.69	0.28979
86	84	97.04	0.15645
87	84	84.03	0.47865
88	84	94.71	0.19926
89	84	78.21	0.65753
90	84	59.10	0.98214
91	84	75.28	0.74079
92	84	76.61	0.70394
93	84	97.25	0.15303
94	84	70.44	0.85464
95	84	78.76	0.64110
96	84	94.12	0.21124
97	84	120.94	0.00517
98	84	81.00	0.57261
99	84	82.02	0.54070
100	84	68.30	0.89318
Combined P-value for all tests (Using KS method)			0.23004

**Notes:**

- 1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

## 2.2 Poker rank statistics for 36 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value
1	7	56	72.74	0.06570
2	7	56	50.37	0.68714
3	7	56	48.76	0.74276
4	7	56	67.86	0.13301
5	7	56	44.19	0.87312
6	7	56	51.95	0.62888
7	7	56	66.49	0.15920
8	7	56	63.76	0.22238
Combined P-value for all tests (Using KS method)				N/A (Insufficient data)

### Notes:

- 1) As the total number of tests (8) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- 2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 9 months - i.e July 2023 to April 2024.

## 3. Poker suits statistics

The Poker suits analysis aims to verify that the cards dealt exhibit an equal probability of all 4 suits (Clubs, Diamonds, Hearts and Spades) in all positions.

The Poker suits analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed p-values, and the combined p-value result of this test is taken as the final result of the Suits statistics tests.

### 3.1 Poker suits statistics for 52 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value
1	7	21	12.86	0.91351
2	7	21	22.85	0.35222
3	7	21	11.86	0.94343
4	7	21	20.08	0.51602
5	7	21	12.74	0.91761
6	7	21	25.84	0.21254
7	7	21	15.79	0.78147
8	7	21	6.89	0.99834
9	7	21	20.01	0.52092
10	7	21	9.51	0.98457
11	7	21	16.48	0.74213
12	7	21	14.06	0.86720
13	7	21	15.66	0.78858
14	7	21	18.79	0.59856
15	7	21	27.07	0.16841
16	7	21	24.71	0.25981
17	7	21	23.14	0.33664
18	7	21	20.65	0.48024
19	7	21	24.50	0.26949
20	7	21	19.56	0.54904
21	7	21	32.81	0.04831
22	7	21	24.54	0.26765
23	7	21	26.64	0.18295

24	7	21	29.76	0.09685
25	7	21	15.41	0.80166
26	7	21	16.33	0.75105
27	7	21	29.44	0.10387
28	7	21	18.08	0.64379
29	7	21	23.00	0.34374
30	7	21	20.93	0.46299
31	7	21	20.52	0.48875
32	7	21	17.75	0.66458
33	7	21	21.82	0.40987
34	7	21	28.44	0.12820
35	7	21	23.84	0.30066
36	7	21	21.03	0.45725
37	7	21	23.41	0.32264
38	7	21	20.64	0.48125
39	7	21	25.86	0.21170
40	7	21	19.98	0.52267
41	7	21	9.03	0.98895
42	7	21	27.06	0.16895
43	7	21	11.42	0.95392
44	7	21	22.99	0.34474
45	7	21	12.34	0.92985
46	7	21	25.66	0.21980
47	7	21	13.03	0.90754
48	7	21	31.19	0.07050
49	7	21	21.95	0.40218
50	7	21	20.29	0.50279
51	7	21	26.65	0.18261
52	7	21	31.36	0.06791
53	7	21	22.73	0.35830
54	7	21	12.62	0.92120
55	7	21	15.60	0.79181
56	7	21	24.16	0.28528
57	7	21	18.71	0.60372
58	7	21	17.92	0.65418
59	7	21	25.93	0.20904
60	7	21	22.94	0.34744
61	7	21	13.63	0.88507
62	7	21	24.42	0.27323
63	7	21	14.26	0.85839
64	7	21	40.03	0.00737
65	7	21	10.43	0.97279
66	7	21	21.01	0.45803
67	7	21	36.20	0.02074
68	7	21	17.95	0.65232
69	7	21	25.46	0.22759
70	7	21	18.25	0.63335
71	7	21	17.69	0.66844
72	7	21	18.63	0.60875
73	7	21	17.18	0.70001
74	7	21	14.83	0.83148
75	7	21	10.01	0.97884
76	7	21	23.30	0.32797
77	7	21	13.03	0.90745
78	7	21	13.82	0.87713
79	7	21	31.97	0.05895

80	7	21	21.92	0.40437
81	7	21	14.24	0.85888
82	7	21	20.23	0.50659
83	7	21	20.00	0.52109
84	7	21	15.50	0.79723
85	7	21	34.35	0.03323
86	7	21	25.57	0.22322
87	7	21	19.62	0.54513
88	7	21	20.45	0.49296
89	7	21	16.62	0.73362
90	7	21	15.96	0.77191
91	7	21	18.80	0.59800
92	7	21	35.65	0.02393
93	7	21	21.27	0.44239
94	7	21	20.70	0.47768
95	7	21	23.25	0.33073
96	7	21	35.47	0.02508
97	7	21	25.81	0.21364
98	7	21	11.43	0.95374
99	7	21	19.70	0.54027
100	7	21	27.78	0.14638
Combined P-value for all tests (Using KS method)				0.96982

Notes:

- 1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

### 3.2 Poker suits statistics for 36 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value
1	7	21	14.42	0.85071
2	7	21	17.25	0.69597
3	7	21	32.39	0.05341
4	7	21	19.10	0.57847
5	7	21	19.66	0.54262
6	7	21	23.55	0.31527
7	7	21	22.36	0.37903
8	7	21	34.84	0.02937
Combined P-value for all tests (Using KS method)				N/A (Insufficient data)

Notes:

- 1) As the total number of tests (8) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- 2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 9 months - i.e July 2023 to April 2024.

## 4. Summary of the analysis

### 4.1 Summary of the analysis of 52 cards deck:

The analysis of 52 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 52 card decks using the Holm's method and producing a single Combined P -value.

The combined p-value produced using the Holm's method is used as indication for statistical randomness.



<b>Combination of p-values using Holm's Method</b>		
<b>Test</b>	<b>P-Value</b>	<b>P-Adjusted</b>
Ranks Test	0.23004	0.69011
Suits Test	0.96982	1.00000
Hand Types Test	0.54949	1.00000
<b>Combined P-Value using Holm's Method</b>		0.69011

Notes:

- 1) The combined p-value of all statistical tests using Holm's Method conducted for 52 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.

The final outcome of the analysis of 52 cards deck indicates that the RNG is working correctly.

#### 4.2 Summary of the analysis of 36 cards deck:

The analysis of 36 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 36 card decks using the Holm's method and producing a single Combined P -value. Where there is insufficient data the individual Chi-Square tests results are used in the Holm's method for producing a combined p-value.

The combined p-value produced from the using the Holm's method is used as indication for statistical randomness.

<b>Combination of p-values using Holm's Method</b>		
<b>Test</b>	<b>P-Value</b>	<b>P-Adjusted</b>
Ranks Test 1	0.06570	1.00000
Ranks Test 2	0.68714	1.00000
Ranks Test 3	0.74276	1.00000
Ranks Test 4	0.13301	1.00000
Ranks Test 5	0.87312	1.00000
Ranks Test 6	0.62888	1.00000
Ranks Test 7	0.15920	1.00000
Ranks Test 8	0.22238	1.00000
Suits Test 1	0.85071	1.00000
Suits Test 2	0.69597	1.00000
Suits Test 3	0.05341	0.90795
Suits Test 4	0.57847	1.00000
Suits Test 5	0.54262	1.00000
Suits Test 6	0.31527	1.00000
Suits Test 7	0.37903	1.00000
Suits Test 8	0.02937	0.52864
Hand Types Test 1	0.14456	1.00000
Hand Types Test 2	0.64633	1.00000
<b>Combined P-Value using Holm's Method</b>		0.52864

Notes:

- 1) The combined p-value of all statistical tests using Holm's Method conducted for 36 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.
- 2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 9 months - i.e July 2023 to April 2024.

The final outcome of the analysis of 36 cards deck indicates that the RNG is working correctly.

## 5. Conclusion

Analysis of actual data from game logs for 'Hand Types', 'Ranks' and 'Suits' for **52-card decks** and **36-card decks** indicated statistical randomness.

iTech Labs has done limited sanity checks to verify the integrity of the game logs. iTech Labs also maintains a copy of the game logs for verification purposes. There were a large enough number of game records to give the calculations sufficient statistical power.

We conclude that the Random Number Generator (RNG) is working correctly.

Please click here to see the [Original](#) report.

---

**Signed:**



---

**Alvin Rizaldi**  
**Chief Executive Officer**  
**iTech Labs**  
Date: 22 May 2024

**Signed:**



---

**Divya Bhargava**  
**Project Manager**  
**iTech Labs**  
Date: 22 May 2024

---

Disclaimer.

While it is not possible to test all possible scenarios in a laboratory environment, iTech Labs has conducted a level of testing appropriate for a component test of this type.

